1952 Chevy Panel Truck

• Solid – unrusted frame

Service History here: Since 2006

All repairs and new parts have less than 300 miles

• All invoices available on request

INFO

½ GVW 4,800 216 Cu. In.

Eng: KBM 283021 Delco Remy Distributor

I. BRAKES

- (2011) wheel cylinders bored and sleeved in brass
- (2017) Left front wheel cylinder replaced
- Front and rear brake shoes and hardware
- Front and rear brake hoses
- (2018) Dual master cylinder upgrade
- (2018) Dual master adaptor set
- (remaining lines stainless)
- Brake Temperature Test/even

Left Front: 88°F Right Front: 86°F Left Rear: 82°F Right Rear: 72°F

II. FLUIDS AND LUBE

- Oil changes every year with ZDDP
- Change transmission fluid (GL4)
- Change differential fluid (GL4) and replace gasket
- Grease fittings
- Top up steering box and adjust

III. COOLING SYSTEM AND HEAT

- Radiator hoses and heater hoses
- Flush system and radiator
- Thermostat and radiator cap
- Water pump and fan belt
- (2018) Heater core repair
- Install shut off valve to heater core

IV. FUEL SYSTEM

- Gas tank with straps and pads
- Sending unit
- Fuel lines, hoses and filter
- Neck grommet, filler pipe and vent hose
- Fuel pump with bowl

V. 6 VOLT TO 12 VOLT CONVERSION

- Alternator and wide belt pulley
- Relocate battery to engine compartment
- Replace entire wiring harness/upgrade
- All 12 volt bulbs
- Replace ignition switch (starter activated by switch)
- (2018) Starter
- Install 12 volt wiper motor and linkage
- Replace wiper arms and blades

VI. ELECTRICAL – OTHER

- Headlight dimmer switch
- Halogen head lamps
- Battery cables

VII. MOUNTS

- Motor mounts
- Mid trans mounts
- Trans mount

VIII. TUNE

- Plugs, cap and rotor
- K&N air filter
- Carb overhaul
- Coil and electronic pick up
- Tune up adjustments

IX. TIRES AND RIMS – SPACERS – UPGRADES

- Size change to 225-75-15, mount and balance on:
- Rally rims from 1992 Isuzu Rodeo
- Wheel spacers and longer wheel studs
- Set up interior mounted spare tire

X. ENGINE

- Adjust valves intake: .008, exhaust: .016
- Valve cover gasket
- Oil pan gasket, drain plug

INTERIOR XI.

• Seats – PT Cruiser adjustable seats and 3 point belts

XII. SUSPENSION

Right and left sway bar link bushings
Front shocks
Rear shocks
Repack front wheel bearings, replace seals
(2011) Sway bar bushings

XIII. BODY

Windshield glass and seals, center trim etc.

Rear door windows and seals
Right and left mirrors and arms (convex, RS)
Cowl flap seal and drain hose
New visors and glove box
Exterior door handles (pair) and matching locks

XIV. CLUTCH AND SHIFTER

• Adjust clutch

• Lube linkage and shifter

BODY WELDING XV.

• Left cab floor pan with toe board

• Right cab floor pan with toe board

• Front cab floor support left

• Front cab floor support right

• Inner cowl panel left

• Inner cowl panel right

• Transcover plate

• Fabricate cover to access <u>dual</u> master cylinder reservoir

• Engine compartment battery tray

NOTE: As of 2018, speedometer inoperative.